

SUBMITTAL COVER SHEET

JJM BOILER WORKS, INC. / CONDENSATE Ph TREATMENT PRODUCTS

PROJECT NAME:

LOCATION:

ARCHITECT:

ENGINEER:

CONTRACTOR:

SUBMITTED BY:

DATE:

MODEL SUMMARY

Quantity	Product			
Model	V-250 Combi			
Model #	5000			
Rating BTU	1 to 250,000 BTU's			
Rating GPH	1.90 GPH			
Inlet Port Size	¾"			
Outlet Port Size	¾"			
Clear Canister	Yes			
Inner Cartridge	Yes			
Active Ingredient	Magnesium Hydroxide Pellets			
Condensate Pump	Yes			
Model	Franklin	VCMA-20		

Pump rating GPH	80gph@1' 20' Max			
Volts	115V /1/60	6' Cord Plug in		
Amps	1.5A			
Canister Material	Polypropylene			
Platform Material	PP 3/8"	Pre-drilled		
Canister Temperature Rating	140F Con.			
Pump Location	Left or right			
		N/A		
Mounting	Vertical	Floor or Wall		
Flue Drain Model		N/A		
Common Stack Model		N/A		

NOTES:

Recommended Piping: Sch40 PVC, CPVC, PP Tubing

